



PNM Transportation Electrification Program Qualified Products List



PNM offers rebates on a variety of different chargers, see the ones that qualify below.

PNM is dedicated to ensuring EV chargers are available to its residential and commercial customers. Check back often for updates on additional EV chargers that qualify for rebates. If you install a charger in a public space and plan to charge a fee, be sure to install a charger with an EMV chip reader.

Table of Contents

Residential Chargers	2
Public Direct Current Fast Chargers (DCFC)	3
Public Level 2 Chargers	5
Level 2 Workplace/Fleet and Multifamily Chargers	8
Mass Transit Chargers	11

Last updated May 16, 2023

To learn more call **505-355-6286** or **(888) 505-1873**, email TEP@pnm.com or visit ev.pnm.com

At PNM, we don't just keep the power on, we help you power on.





Residential Chargers

Brand	Model	Description
ABB	Terra AC Wallbox	ABB Terra AC Wallbox 40 amp -Residential --EV Gateway
ABB	Terra AC Wallbox	ABB Terra AC Wallbox 80 amp -Residential --EV Gateway
Blink	HQ 200	Blink HQ 200 SMART-50 amp-12 kW- Residential --Blink Network
ChargePoint	Home Flex CPH-50	ChargePoint Home Flex (CPH50)- 50amp-Single port
PowerPump	AC5500	PowerPump AC5500 - 40amp - Single port - Residential
PowerPump	AC5500 -G	PowerPump AC5500-G - 40amp - Single port - Residential

Public Direct Current Fast Chargers (DCFC)*

If you install a charger in a public space and plan to charge a fee, be sure to install a charger with an EMV chip reader. "Dual-adapter" models require both CCS and CHAdeMO adapters on the same unit.

Brand	Model	Description
ABB	Terra HP 350	ABB Terra HP 350 - 462 amp - Dual-adapter ---EMV Chip Reader --EV Gateway
ABB	Terra HP 175	ABB Terra HP 175 - 231 amp - Dual-adapter ---EMV Chip Reader --EV Gateway
ABB	Terra HP 350	ABB Terra HP 350 - 462 amp - Dual-adapter ---Without EMV Chip Reader --EV Gateway
ABB	Terra HP 175	ABB Terra HP 175 - 231 amp - Dual-adapter ---Without EMV Chip Reader --EV Gateway
ABB	Terra 184	ABB Terra 184 - 230 amp - Dual-adapter ---EMV Chip Reader --EV Gateway
ABB	Terra 124	ABB Terra 124 - 153 amp - Dual-adapter ---EMV Chip Reader --EV Gateway
ABB	Terra 184	ABB Terra 184 - 230 amp - Dual-adapter ---Without EMV Chip Reader --EV Gateway
ABB	Terra 124	ABB Terra 124 - 153 amp - Dual-adapter ---Without EMV Chip Reader --EV Gateway
ABB	Terra 175	ABB Terra 175 - 231amp - 175kW - Dual-adapter - Without EMV chip reader - EV Connect
ABB	Terra 124	ABB Terra 124 - 153amp - 120kW - Dual-adapter - Without EMV chip reader - EV Connect
ABB	Terra 184	ABB Terra 184 - 230amp - 180kW - Dual-adapter - Without EMV chip reader - EV Connect
ABB	Terra 175	ABB Terra 175 - 231amp - 175kW - Dual-adapter - EMV chip reader - EV Connect
ABB	Terra 124	ABB Terra 124 - 153amp - 120kW - Dual-adapter - EMV chip reader - EV Connect
ABB	Terra 184	ABB Terra 184 - 230amp - 180kW - Dual-adapter - EMV chip reader - EV Connect

Brand	Model	Description
Blink	Tellus 60	Blink 60 kW-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 60	Blink 60 kW-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 120	Blink 120 kW-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 120	Blink 120 kW-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 180 (200A)	Blink 180 kW (200 A output)-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 180 (200A)	Blink 180 kW (200 A output)-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 180 (500A)	Blink 180 kW (500 A output)-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 180 (500A)	Blink 180 kW (500 A output)-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 300	Blink 300 kW-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 300	Blink 300 kW-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 360	Blink 360 kW-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 360	Blink 360 kW-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	DS 180 Series	Blink DS 180 Series - 180 kW - Dual-adapter ---EMV Chip Reader --Blink Network
Blink	DS 180 Series	Blink DS 180 Series - 180 kW - Dual-adapter ---Without EMV Chip Reader --Blink Network
ChargePoint	CPE250	CPE250-156amp-Dual-adapter --EMV Chip Reader

*If you plan to assess fees for charging, the installed charger(s) must have at a minimum the Europay, Mastercard, Visa (EMV) chip reader to allow for Point of Sale transactions. Other Point of Sale systems, such as app-based payment, contactless credit card, and phone payment, are permissible, but not required.

Only chargers with the exact description and assigned network provider in this list are eligible.

Public Direct Current Fast Chargers (DCFC)*

If you install a charger in a public space and plan to charge a fee, be sure to install a charger with an EMV chip reader. "Dual-adapter" models require both CCS and CHAdeMO adapters on the same unit.

Brand	Model	Description
ChargePoint	CPE250	CPE250-156amp-Dual-adapter --Without EMV Chip Reader
FreeWire Technologies	Boost 200	Boost 200-80amp-Dual-adapter --EMV Chip Reader --ChargePoint
PowerPump	DC60	PowerPump DC60 - 60kW - Dual-adapter - Without EMV chip reader
PowerPump	DC120	PowerPump DC120 - 120kW - Dual-adapter - Without EMV chip reader
PowerPump	DC150	PowerPump DC150 - 150kW - Dual-adapter - Without EMV chip reader
PowerPump	DC180	PowerPump DC180 - 180kW - Dual-adapter - Without EMV chip reader
PowerPump	DC60	PowerPump DC60 - 60kW - Dual-adapter - EMV chip reader
PowerPump	DC120	PowerPump DC120 - 120kW - Dual-adapter - EMV chip reader
PowerPump	DC150	PowerPump DC150 - 150kW - Dual-adapter - EMV chip reader
PowerPump	DC180	PowerPump DC180 - 180kW - Dual-adapter - EMV chip reader
Tellus	60 kW	Tellus 60 kW - 80amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	60 kW	Tellus 60 kW - 80amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	120 kW	Tellus 120 kW - 160amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	120 kW	Tellus 120 kW - 160amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	180 kW (200 A output)	Tellus 180 kW (200 A output) - 240amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	180 kW (200 A output)	Tellus 180 kW (200 A output) - 240amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	180 kW (500 A output)	Tellus 180 kW (500 A output) - 240amp - Dual-adapter - EMV chip reader - EV Gateway

Brand	Model	Description
Tellus	180 kW (500 A output)	Tellus 180 kW (500 A output) - 240amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	240 kW	Tellus 240 kW - 320amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	240 kW	Tellus 240 kW - 320amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	300 kW	Tellus 300 kW - 400amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	300 kW	Tellus 300 kW - 400amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	360 kW	Tellus 360 kW - 480amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	360 kW	Tellus 360 kW - 480amp - Dual-adapter - EMV chip reader - EV Gateway

*If you plan to assess fees for charging, the installed charger(s) must have at a minimum the Europay, Mastercard, Visa (EMV) chip reader to allow for Point of Sale transactions. Other Point of Sale systems, such as app-based payment, contactless credit card, and phone payment, are permissible, but not required.

Only chargers with the exact description and assigned network provider in this list are eligible.

Public Level 2 Chargers*

If you install a charger in a public space and plan to charge a fee, be sure to install a charger with an EMV chip reader.

Brand	Model	Description
ABB	Terra AC Wallbox	ABB Terra AC Wallbox 40 amp -Non-residential --EV Gateway
ABB	Terra AC Wallbox	ABB Terra AC Wallbox 80 amp -Non-residential --EV Gateway
Autel	Maxi Charger AC	Autel MaxiCharger AC - 80amp - Single port - Without EMV chip reader
Autel	Maxi Charger AC	Autel MaxiCharger AC - 80amp - Dual port - Without EMV chip reader
Autel	Maxi Charger AC	Autel MaxiCharger AC - 80amp - Single port - EMV chip reader
Autel	Maxi Charger AC	Autel MaxiCharger AC - 80amp - Dual port - EMV chip reader
Blink	MQ 200	Blink MQ 200-50 amp-12 kW-Single-port --Blink Network
Blink	IQ 200	Blink IQ 200 SMART-80 amp-19.2 kW-Single-port --Blink Network
Blink	IQ 200	Blink IQ 200 ADVANCED-80 amp-19.2 kW-Single-port --Blink Network
Blink	Series 7	Blink Series 7-48 amp-11.5 kW-Two port --Blink Network
Blink	Series 7 Plus	Blink Series 7 Plus-80 amp-19.2 kW-Two port --Blink Network
Blink	Series 8 Plus	Blink Series 8 Plus-80 amp-19.2 kW-Two port --- EMV Chip Reader --Blink Network
Blink	Series 8 Plus	Blink Series 8 Plus-80 amp-19.2 kW-Two port --- Without EMV Chip Reader --Blink Network
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Dual port - EMV chip reader - EV Connect
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Single port - Without EMV chip reader - EV Connect

Brand	Model	Description
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Dual port - Without EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Dual port - EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Single port - Without EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Dual port - Without EMV chip reader - EV Connect
BTC Power	L2P-70	BTC Power L2P-70 - 70amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-70	BTC Power L2P-70 - 70amp - Single port - Without EMV chip reader - EV Connect
ChargePoint	CT4000	CT4000-30amp-Single port --EMV Chip Reader
ChargePoint	CT4000	CT4000-30amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Single port --EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Single port --EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-30amp-Single port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-30amp-Dual port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Single port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Dual port --Without EMV Chip Reader

*If you plan to assess fees for charging, the installed charger(s) must have at a minimum the Europay, Mastercard, Visa (EMV) chip reader to allow for Point of Sale transactions. Other Point of Sale systems, such as app-based payment, contactless credit card, and phone payment, are permissible, but not required.

Only chargers with the exact description and assigned network provider in this list are eligible.

Public Level 2 Chargers*

If you install a charger in a public space and plan to charge a fee, be sure to install a charger with an EMV chip reader.

Brand	Model	Description
ChargePoint	CT4000	CT4000-16amp-Single port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Dual port --Without EMV Chip Reader
Clipper Creek	HCX-40	Clipper Creek - HCX-40-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-50	Clipper Creek - HCX-50-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-60	Clipper Creek - HCX-60-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-80	Clipper Creek - HCX-80-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-40	Clipper Creek - HCX-40-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-50	Clipper Creek - HCX-50-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-60	Clipper Creek - HCX-60-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-80	Clipper Creek - HCX-80-Single port --Without EMV Chip Reader - OpConnect
EvoCharge	iEVSE Single Port	EvoCharge iEVSE Single Port - 32amp - Single port - EMV chip reader - EV Connect
EvoCharge	iEVSE Single Port	EvoCharge iEVSE Single Port - 32amp - Single port - Without EMV chip reader - EV Connect
EvoCharge	iEVSE Dual Port	EvoCharge iEVSE Dual Port - 32amp - Dual port - EMV chip reader - EV Connect
EvoCharge	iEVSE Dual Port	EvoCharge iEVSE Dual Port - 32amp - Dual port - Without EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Single Port	EvoCharge iEVSE Plus Single Port - 32amp - Single port - EMV chip reader - EV Connect

Brand	Model	Description
EvoCharge	iEVSE Plus Single Port	EvoCharge iEVSE Plus Single Port - 32amp - Single port - Without EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Dual Port	EvoCharge iEVSE Plus Dual Port - 32amp - Dual port - EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Dual Port	EvoCharge iEVSE Plus Dual Port - 32amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Single port - EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Single port - Without EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Dual port - EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Single port - EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Single port - Without EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Dual port - EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Single port - EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Single port - Without EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Dual port - EMV chip reader - EV Connect

*If you plan to assess fees for charging, the installed charger(s) must have at a minimum the Europay, Mastercard, Visa (EMV) chip reader to allow for Point of Sale transactions. Other Point of Sale systems, such as app-based payment, contactless credit card, and phone payment, are permissible, but not required.

Only chargers with the exact description and assigned network provider in this list are eligible.

Public Level 2 Chargers*

If you install a charger in a public space and plan to charge a fee, be sure to install a charger with an EMV chip reader.

Brand	Model	Description
Juicebar	480 Series	Juicebar 480 Series - 48amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	800 Series	Juicebar 800 Series - 80amp - Single port - EMV chip reader - EV Connect
Juicebar	800 Series	Juicebar 800 Series - 80amp - Single port - Without EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Single port - EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Single port - Without EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Dual port - EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Dual port - Without EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Single port - EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Single port - Without EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Dual port - EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Dual port - Without EMV chip reader - EV Connect
PowerPump	AC5500	PowerPump AC5500 - 40amp - Single port - Non-residential
PowerPump	AC5500-G	PowerPump AC5500-G - 40amp - Single port - Non-residential
Tellus	Level 2	Tellus Level 2 - 30amp - 7.2kW - Single port - EV Gateway
Tellus	Level 2	Tellus Level 2 - 30amp - 7.2kW - Dual port - EV Gateway

Brand	Model	Description
Zerova	AW32	Zerova AW32 - 32amp - Single port - Without EMV chip reader - EV Connect
Zerova	AX48	Zerova AX48 - 48amp - Single port - Without EMV chip reader - EV Connect

*If you plan to assess fees for charging, the installed charger(s) must have at a minimum the Europay, Mastercard, Visa (EMV) chip reader to allow for Point of Sale transactions. Other Point of Sale systems, such as app-based payment, contactless credit card, and phone payment, are permissible, but not required.

Only chargers with the exact description and assigned network provider in this list are eligible.

Level 2 Workplace/Fleet and Multifamily Chargers

Brand	Model	Description
ABB	Terra AC Wallbox	ABB Terra AC Wallbox 40 amp -Non-residential --EV Gateway
ABB	Terra AC Wallbox	ABB Terra AC Wallbox 80 amp -Non-residential --EV Gateway
Autel	Maxi Charger AC	Autel MaxiCharger AC - 80amp - Single port - Without EMV chip reader
Autel	Maxi Charger AC	Autel MaxiCharger AC - 80amp - Dual port - Without EMV chip reader
Autel	Maxi Charger AC	Autel MaxiCharger AC - 80amp - Single port - EMV chip reader
Autel	Maxi Charger AC	Autel MaxiCharger AC - 80amp - Dual port - EMV chip reader
Blink	MQ 200	Blink MQ 200-50 amp-12 kW-Single-port --Blink Network
Blink	IQ 200	Blink IQ 200 SMART-80 amp-19.2 kW-Single-port --Blink Network
Blink	IQ 200	Blink IQ 200 ADVANCED-80 amp-19.2 kW-Single-port --Blink Network
Blink	Series 7	Blink Series 7-48 amp-11.5 kW-Two port --Blink Network
Blink	Series 7 Plus	Blink Series 7 Plus-80 amp-19.2 kW-Two port --Blink Network
Blink	Series 8 Plus	Blink Series 8 Plus-80 amp-19.2 kW-Two port --- EMV Chip Reader --Blink Network
Blink	Series 8 Plus	Blink Series 8 Plus-80 amp-19.2 kW-Two port --- Without EMV Chip Reader --Blink Network
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Dual port - EMV chip reader - EV Connect
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Single port - Without EMV chip reader - EV Connect
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Dual port - Without EMV chip reader - EV Connect

Brand	Model	Description
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Dual port - EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Single port - Without EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Dual port - Without EMV chip reader - EV Connect
BTC Power	L2P-70	BTC Power L2P-70 - 70amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-70	BTC Power L2P-70 - 70amp - Single port - Without EMV chip reader - EV Connect
ChargePoint	CT4000	CT4000-30amp-Single port --EMV Chip Reader
ChargePoint	CT4000	CT4000-30amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Single port --EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Single port --EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-30amp-Single port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-30amp-Dual port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Single port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Dual port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Single port --Without EMV Chip Reader

Level 2 Workplace/Fleet and Multifamily Chargers

Brand	Model	Description
ChargePoint	CT4000	CT4000-16amp-Dual port --Without EMV Chip Reader
Clipper Creek	HCX-40	Clipper Creek - HCX-40-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-50	Clipper Creek - HCX-50-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-60	Clipper Creek - HCX-60-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-80	Clipper Creek - HCX-80-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-40	Clipper Creek - HCX-40-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-50	Clipper Creek - HCX-50-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-60	Clipper Creek - HCX-60-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-80	Clipper Creek - HCX-80-Single port --Without EMV Chip Reader - OpConnect
EvoCharge	iEVSE Single Port	EvoCharge iEVSE Single Port - 32amp - Single port - EMV chip reader - EV Connect
EvoCharge	iEVSE Single Port	EvoCharge iEVSE Single Port - 32amp - Single port - Without EMV chip reader - EV Connect
EvoCharge	iEVSE Dual Port	EvoCharge iEVSE Dual Port - 32amp - Dual port - EMV chip reader - EV Connect
EvoCharge	iEVSE Dual Port	EvoCharge iEVSE Dual Port - 32amp - Dual port - Without EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Single Port	EvoCharge iEVSE Plus Single Port - 32amp - Single port - EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Single Port	EvoCharge iEVSE Plus Single Port - 32amp - Single port - Without EMV chip reader - EV Connect

Brand	Model	Description
EvoCharge	iEVSE Plus Dual Port	EvoCharge iEVSE Plus Dual Port - 32amp - Dual port - EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Dual Port	EvoCharge iEVSE Plus Dual Port - 32amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Single port - EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Single port - Without EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Dual port - EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Single port - EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Single port - Without EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Dual port - EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Single port - EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Single port - Without EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Dual port - EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Dual port - Without EMV chip reader - EV Connect

Level 2 Workplace/Fleet and Multifamily Chargers

Brand	Model	Description
Juicebar	800 Series	Juicebar 800 Series - 80amp - Single port - EMV chip reader - EV Connect
Juicebar	800 Series	Juicebar 800 Series - 80amp - Single port - Without EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Single port - EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Single port - Without EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Dual port - EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Dual port - Without EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Single port - EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Single port - Without EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Dual port - EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Dual port - Without EMV chip reader - EV Connect
PowerPump	AC5500	PowerPump AC5500 - 40amp - Single port - Non-residential
PowerPump	AC5500-G	PowerPump AC5500-G - 40amp - Single port - Non-residential
Tellus	Level 2	Tellus Level 2 - 30amp - 7.2kW - Single port - EV Gateway
Tellus	Level 2	Tellus Level 2 - 30amp - 7.2kW - Dual port - EV Gateway
Zerova	AW32	Zerova AW32 - 32amp - Single port - Without EMV chip reader - EV Connect
Zerova	AX48	Zerova AX48 - 48amp - Single port - Without EMV chip reader - EV Connect

Mass Transit Chargers

Brand	Model	Description
ABB	Terra HP 350	ABB Terra HP 350 - 462 amp - Dual-adapter ---EMV Chip Reader --EV Gateway
ABB	Terra HP 175	ABB Terra HP 175 - 231 amp - Dual-adapter ---EMV Chip Reader --EV Gateway
ABB	Terra HP 350	ABB Terra HP 350 - 462 amp - Dual-adapter ---Without EMV Chip Reader --EV Gateway
ABB	Terra HP 175	ABB Terra HP 175 - 231 amp - Dual-adapter ---Without EMV Chip Reader --EV Gateway
ABB	Terra HP 350	ABB Terra HP 350 - 462 amp - Dual-CCS ---EMV Chip Reader --EV Gateway
ABB	Terra HP 175	ABB Terra HP 175 - 231 amp - Dual-CCS ---EMV Chip Reader --EV Gateway
ABB	Terra HP 350	ABB Terra HP 350 - 462 amp - Dual-CCS ---Without EMV Chip Reader --EV Gateway
ABB	Terra HP 175	ABB Terra HP 175 - 231 amp - Dual-CCS ---Without EMV Chip Reader --EV Gateway
ABB	Terra 184	ABB Terra 184 - 230 amp - Dual-adapter ---EMV Chip Reader --EV Gateway
ABB	Terra 124	ABB Terra 124 - 153 amp - Dual-adapter ---EMV Chip Reader --EV Gateway
ABB	Terra 184	ABB Terra 184 - 230 amp - Dual-CCS ---EMV Chip Reader --EV Gateway
ABB	Terra 124	ABB Terra 124 - 153 amp - Dual-CCS ---EMV Chip Reader --EV Gateway
ABB	Terra 184	ABB Terra 184 - 230 amp - Single-CCS ---EMV Chip Reader --EV Gateway
ABB	Terra 124	ABB Terra 124 - 153 amp - Single-CCS ---EMV Chip Reader --EV Gateway
ABB	Terra 184	ABB Terra 184 - 230 amp - Dual-adapter ---Without EMV Chip Reader --EV Gateway

Brand	Model	Description
ABB	Terra 124	ABB Terra 124 - 153 amp - Dual-adapter ---Without EMV Chip Reader --EV Gateway
ABB	Terra 184	ABB Terra 184 - 230 amp - Dual-CCS ---Without EMV Chip Reader --EV Gateway
ABB	Terra 124	ABB Terra 124 - 153 amp - Dual-CCS ---Without EMV Chip Reader --EV Gateway
ABB	Terra 184	ABB Terra 184 - 230 amp - Single-CCS ---Without EMV Chip Reader --EV Gateway
ABB	Terra 124	ABB Terra 124 - 153 amp - Single-CCS ---Without EMV Chip Reader --EV Gateway
ABB	Terra 94	ABB Terra 94 - 115 amp - Single-CCS port ---EMV Chip Reader --EV Gateway
ABB	Terra 94	ABB Terra 94 - 115 amp - Single-CCS port ---Without EMV Chip Reader --EV Gateway
ABB	Terra DC Wallbox	ABB Terra DC Wallbox-208/240 volts-22.5amp-Single-CCS port --EV Gateway
ABB	Terra DC Wallbox	ABB Terra DC Wallbox-208/240 volts-22.5amp-Dual-adapter --EV Gateway
ABB	Terra DC Wallbox	ABB Terra DC Wallbox-480 volts-22.5amp-Single-CCS port --EV Gateway
ABB	Terra DC Wallbox	ABB Terra DC Wallbox-480 volts-22.5amp-Dual-adapter --EV Gateway
ABB	Terra AC Wallbox	ABB Terra AC Wallbox 40 amp -Non-residential --EV Gateway
ABB	Terra AC Wallbox	ABB Terra AC Wallbox 80 amp -Non-residential --EV Gateway
ABB	Terra DC Wallbox	ABB Terra DC Wallbox - 100amp - 22.5kW - Single-CCS - EMV chip reader - EV Connect

Mass Transit Chargers

Brand	Model	Description
ABB	Terra DC Wallbox	ABB Terra DC Wallbox - 100amp - 22.5kW - Dual-adapter - EMV chip reader - EV Connect
ABB	Terra DC Wallbox	ABB Terra DC Wallbox - 32amp - 22.5kW - Single-CCS - EMV chip reader - EV Connect
ABB	Terra DC Wallbox	ABB Terra DC Wallbox - 32amp - 22.5kW - Dual-adapter - EMV chip reader - EV Connect
ABB	Terra 54	ABB Terra 54 - 64amp - 50kW - Single-CCS - Without EMV chip reader - EV Connect
ABB	Terra 175	ABB Terra 175 - 231amp - 175kW - Single-CCS - Without EMV chip reader - EV Connect
ABB	Terra 175	ABB Terra 175 - 231amp - 175kW - Dual-CCS - Without EMV chip reader - EV Connect
ABB	Terra 175	ABB Terra 175 - 231amp - 175kW - Dual-adapter - Without EMV chip reader - EV Connect
ABB	HCV-150	ABB HCV-150 - 204amp - 150kW - Single-CCS - Without EMV chip reader - EV Connect
ABB	Terra 124	ABB Terra 124 - 153amp - 120kW - Single-CCS - Without EMV chip reader - EV Connect
ABB	Terra 124	ABB Terra 124 - 153amp - 120kW - Dual-CCS - Without EMV chip reader - EV Connect
ABB	Terra 124	ABB Terra 124 - 153amp - 120kW - Dual-adapter - Without EMV chip reader - EV Connect
ABB	Terra 184	ABB Terra 184 - 230amp - 180kW - Single-CCS - Without EMV chip reader - EV Connect
ABB	Terra 184	ABB Terra 184 - 230amp - 180kW - Dual-CCS - Without EMV chip reader - EV Connect
ABB	Terra 184	ABB Terra 184 - 230amp - 180kW - Dual-adapter - Without EMV chip reader - EV Connect
ABB	Terra 54	ABB Terra 54 - 64amp - 50kW - Single-CCS - EMV chip reader - EV Connect

Brand	Model	Description
ABB	Terra 175	ABB Terra 175 - 231amp - 175kW - Single-CCS - EMV chip reader - EV Connect
ABB	Terra 175	ABB Terra 175 - 231amp - 175kW - Dual-CCS - EMV chip reader - EV Connect
ABB	Terra 175	ABB Terra 175 - 231amp - 175kW - Dual-adapter - EMV chip reader - EV Connect
ABB	Terra 124	ABB Terra 124 - 153amp - 120kW - Single-CCS - EMV chip reader - EV Connect
ABB	Terra 124	ABB Terra 124 - 153amp - 120kW - Dual-CCS - EMV chip reader - EV Connect
ABB	Terra 124	ABB Terra 124 - 153amp - 120kW - Dual-adapter - EMV chip reader - EV Connect
ABB	Terra 184	ABB Terra 184 - 230amp - 180kW - Single-CCS - EMV chip reader - EV Connect
ABB	Terra 184	ABB Terra 184 - 230amp - 180kW - Dual-CCS - EMV chip reader - EV Connect
ABB	Terra 184	ABB Terra 184 - 230amp - 180kW - Dual-adapter - EMV chip reader - EV Connect
Autel	MaxiCharger AC	Autel MaxiCharger AC - 80amp - Single port - Without EMV chip reader
Autel	MaxiCharger AC	Autel MaxiCharger AC - 80amp - Dual port - Without EMV chip reader
Autel	MaxiCharger AC	Autel MaxiCharger AC - 80amp - Single port - EMV chip reader
Autel	MaxiCharger AC	Autel MaxiCharger AC - 80amp - Dual port - EMV chip reader
Blink	MQ 200	Blink MQ 200-50 amp-12 kW-Single-port --Blink Network
Blink	IQ 200	Blink IQ 200 SMART-80 amp-19.2 kW-Single-port --Blink Network

Mass Transit Chargers

Brand	Model	Description
Blink	IQ 200	Blink IQ 200 ADVANCED-80 amp-19.2 kW-Single-port --Blink Network
Blink	Series 7	Blink Series 7-48 amp-11.5 kW-Two port --Blink Network
Blink	Series 7 Plus	Blink Series 7 Plus-80 amp-19.2 kW-Two port --Blink Network
Blink	Series 8 Plus	Blink Series 8 Plus-80 amp-19.2 kW-Two port --- EMV Chip Reader --Blink Network
Blink	Series 8 Plus	Blink Series 8 Plus-80 amp-19.2 kW-Two port --- Without EMV Chip Reader --Blink Network
Blink	Tellus 30	Blink 30 kW-Single CCS1 ---Without EMV Chip Reader --Blink Network
Blink	Tellus 30	Blink 30 kW-Single CHAdeMO ---Without EMV Chip Reader --Blink Network
Blink	Tellus 60	Blink 60 kW-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 60	Blink 60 kW-Dual-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 60	Blink 60 kW-Single-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 60	Blink 60 kW-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 60	Blink 60 kW-Dual-CCS1 ---Without EMV Chip Reader --Blink Network
Blink	Tellus 60	Blink 60 kW-Single-CCS1 ---Without EMV Chip Reader --Blink Network
Blink	Tellus 120	Blink 120 kW-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 120	Blink 120 kW-Dual-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 120	Blink 120 kW-Single-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 120	Blink 120 kW-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 120	Blink 120 kW-Dual-CCS1 ---Without EMV Chip Reader --Blink Network
Blink	Tellus 120	Blink 120 kW-Single-CCS1 ---Without EMV Chip Reader --Blink Network

Brand	Model	Description
Blink	Tellus 180 (200A)	Blink 180 kW (200 A output)-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 180 (200A)	Blink 180 kW (200 A output)-Dual-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 180 (200A)	Blink 180 kW (200 A output)-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 180 (200A)	Blink 180 kW (200 A output)-Dual-CCS1 ---Without EMV Chip Reader --Blink Network
Blink	Tellus 180 (500A)	Blink 180 kW (500 A output)-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 180 (500A)	Blink 180 kW (500 A output)-Dual-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 180 (500A)	Blink 180 kW (500 A output)-Single-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 180 (500A)	Blink 180 kW (500 A output)-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 180 (500A)	Blink 180 kW (500 A output)-Dual-CCS1 ---Without EMV Chip Reader --Blink Network
Blink	Tellus 180 (500A)	Blink 180 kW (500 A output)-Single-CCS1 ---Without EMV Chip Reader --Blink Network
Blink	Tellus 300	Blink 300 kW-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 300	Blink 300 kW-Dual-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 300	Blink 300 kW-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 300	Blink 300 kW-Dual-CCS1 ---Without EMV Chip Reader --Blink Network

Mass Transit Chargers

Brand	Model	Description
Blink	Tellus 360	Blink 360 kW-Dual-adapter ---EMV Chip Reader --Blink Network
Blink	Tellus 360	Blink 360 kW-Dual-CCS1 ---EMV Chip Reader --Blink Network
Blink	Tellus 360	Blink 360 kW-Dual-adapter ---Without EMV Chip Reader --Blink Network
Blink	Tellus 360	Blink 360 kW-Dual-CCS1 ---Without EMV Chip Reader --Blink Network
Blink	DS 180 Series	Blink DS 180 Series - 180 kW - Dual-adapter ---EMV Chip Reader --Blink Network
Blink	DS 180 Series	Blink DS 180 Series - 180 kW - Dual-adapter ---Without EMV Chip Reader --Blink Network
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Dual port - EMV chip reader - EV Connect
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Single port - Without EMV chip reader - EV Connect
BTC Power	L2P-30	BTC Power L2P-30 - 30amp - Dual port - Without EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Dual port - EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Single port - Without EMV chip reader - EV Connect
BTC Power	L2P-40	BTC Power L2P-40 - 40amp - Dual port - Without EMV chip reader - EV Connect
BTC Power	L2P-70	BTC Power L2P-70 - 70amp - Single port - EMV chip reader - EV Connect
BTC Power	L2P-70	BTC Power L2P-70 - 70amp - Single port - Without EMV chip reader - EV Connect
ChargePoint	CT4000	CT4000-30amp-Single port --EMV Chip Reader

Brand	Model	Description
ChargePoint	CT4000	CT4000-30amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Single port --EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Single port --EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Dual port --EMV Chip Reader
ChargePoint	CT4000	CT4000-30amp-Single port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-30amp-Dual port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Single port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-24amp-Dual port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Single port --Without EMV Chip Reader
ChargePoint	CT4000	CT4000-16amp-Dual port --Without EMV Chip Reader
ChargePoint	CPE250	CPE250-156amp-Dual-adapter --EMV Chip Reader
ChargePoint	CPE250	CPE250-156amp-Dual-adapter --Without EMV Chip Reader
ChargePoint	CPE250	CPE250-156amp-Single-CCS --Without EMV Chip Reader
ChargePoint	CPE250	CPE250-156amp-Dual-CCS --Without EMV Chip Reader
Clipper Creek	HCX-40	Clipper Creek - HCX-40-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-50	Clipper Creek - HCX-50-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-60	Clipper Creek - HCX-60-Single port --EMV Chip Reader - OpConnect

Mass Transit Chargers

Brand	Model	Description
Clipper Creek	HCX-80	Clipper Creek - HCX-80-Single port --EMV Chip Reader - OpConnect
Clipper Creek	HCX-40	Clipper Creek - HCX-40-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-50	Clipper Creek - HCX-50-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-60	Clipper Creek - HCX-60-Single port --Without EMV Chip Reader - OpConnect
Clipper Creek	HCX-80	Clipper Creek - HCX-80-Single port --Without EMV Chip Reader - OpConnect
EvoCharge	iEVSE Single Port	EvoCharge iEVSE Single Port - 32amp - Single port - EMV chip reader - EV Connect
EvoCharge	iEVSE Single Port	EvoCharge iEVSE Single Port - 32amp - Single port - Without EMV chip reader - EV Connect
EvoCharge	iEVSE Dual Port	EvoCharge iEVSE Dual Port - 32amp - Dual port - EMV chip reader - EV Connect
EvoCharge	iEVSE Dual Port	EvoCharge iEVSE Dual Port - 32amp - Dual port - Without EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Single Port	EvoCharge iEVSE Plus Single Port - 32amp - Single port - EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Single Port	EvoCharge iEVSE Plus Single Port - 32amp - Single port - Without EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Dual Port	EvoCharge iEVSE Plus Dual Port - 32amp - Dual port - EMV chip reader - EV Connect
EvoCharge	iEVSE Plus Dual Port	EvoCharge iEVSE Plus Dual Port - 32amp - Dual port - Without EMV chip reader - EV Connect
FreeWire Technologies	Boost 200	Boost 200-80amp-Dual-adapter --EMV Chip Reader --ChargePoint

Brand	Model	Description
FreeWire Technologies	Boost 200	Boost 200-80amp-Dual-CCS --EMV Chip Reader --ChargePoint
Juicebar	320 Series	Juicebar 320 Series - 32amp - Single port - EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Single port - Without EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Dual port - EMV chip reader - EV Connect
Juicebar	320 Series	Juicebar 320 Series - 32amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Single port - EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Single port - Without EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Dual port - EMV chip reader - EV Connect
Juicebar	400 Series	Juicebar 400 Series - 40amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Single port - EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Single port - Without EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Dual port - EMV chip reader - EV Connect
Juicebar	480 Series	Juicebar 480 Series - 48amp - Dual port - Without EMV chip reader - EV Connect
Juicebar	800 Series	Juicebar 800 Series - 80amp - Single port - EMV chip reader - EV Connect
Juicebar	800 Series	Juicebar 800 Series - 80amp - Single port - Without EMV chip reader - EV Connect

Mass Transit Chargers

Brand	Model	Description
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Single port - EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Single port - Without EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Dual port - EMV chip reader - EV Connect
PowerCharge	E20XXP	PowerCharge E20XXP - 32amp - Dual port - Without EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Single port - EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Single port - Without EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Dual port - EMV chip reader - EV Connect
PowerCharge	E80XXP	PowerCharge E80XXP - 80amp - Dual port - Without EMV chip reader - EV Connect
PowerPump	DC60	PowerPump DC60 - 60kW - Dual-adapter - Without EMV chip reader
PowerPump	DC120	PowerPump DC120 - 120kW - Dual-adapter - Without EMV chip reader
PowerPump	DC150	PowerPump DC150 - 150kW - Dual-adapter - Without EMV chip reader
PowerPump	DC180	PowerPump DC180 - 180kW - Dual-adapter - Without EMV chip reader
PowerPump	DC60	PowerPump DC60 - 60kW - Dual-CCS - Without EMV chip reader
PowerPump	DC120	PowerPump DC120 - 120kW - Dual-CCS - Without EMV chip reader
PowerPump	DC150	PowerPump DC150 - 150kW - Dual-CCS - Without EMV chip reader
PowerPump	DC180	PowerPump DC180 - 180kW - Dual-CCS - Without EMV chip reader
PowerPump	DC60	PowerPump DC60 - 60kW - Dual-adapter - EMV chip reader

Brand	Model	Description
PowerPump	DC120	PowerPump DC120 - 120kW - Dual-adapter - EMV chip reader
PowerPump	DC150	PowerPump DC150 - 150kW - Dual-adapter - EMV chip reader
PowerPump	DC180	PowerPump DC180 - 180kW - Dual-adapter - EMV chip reader
PowerPump	DC60	PowerPump DC60 - 60kW - Dual-CCS - EMV chip reader
PowerPump	DC120	PowerPump DC120 - 120kW - Dual-CCS - EMV chip reader
PowerPump	DC150	PowerPump DC150 - 150kW - Dual-CCS - EMV chip reader
PowerPump	DC180	PowerPump DC180 - 180kW - Dual-CCS - EMV chip reader
PowerPump	AC5500	PowerPump AC5500 - 40amp - Single port - Non-residential
PowerPump	AC5500-G	PowerPump AC5500-G - 40amp - Single port - Non-residential
Tellus	30 kW	Tellus 30 kW - 40amp - Single-CCS - Without EMV chip reader - EV Gateway
Tellus	30 kW	Tellus 30 kW - 40amp - Single CHAdeMO - Without EMV chip reader - EV Gateway
Tellus	30 kW	Tellus 30 kW - 40amp - Single-CCS - EMV chip reader - EV Gateway
Tellus	30 kW	Tellus 30 kW - 40amp - Single CHAdeMO - EMV chip reader - EV Gateway
Tellus	60 kW	Tellus 60 kW - 80amp - Single-CCS - Without EMV chip reader - EV Gateway
Tellus	60 kW	Tellus 60 kW - 80amp - Dual-CCS - Without EMV chip reader - EV Gateway
Tellus	60 kW	Tellus 60 kW - 80amp - Dual-adapter - Without EMV chip reader - EV Gateway

Mass Transit Chargers

Brand	Model	Description
Tellus	60 kW	Tellus 60 kW - 80amp - Single-CCS - EMV chip reader - EV Gateway
Tellus	60 kW	Tellus 60 kW - 80amp - Dual-CCS - EMV chip reader - EV Gateway
Tellus	60 kW	Tellus 60 kW - 80amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	120 kW	Tellus 120 kW - 160amp - Single-CCS - Without EMV chip reader - EV Gateway
Tellus	120 kW	Tellus 120 kW - 160amp - Dual-CCS - Without EMV chip reader - EV Gateway
Tellus	120 kW	Tellus 120 kW - 160amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	120 kW	Tellus 120 kW - 160amp - Single-CCS - EMV chip reader - EV Gateway
Tellus	120 kW	Tellus 120 kW - 160amp - Dual-CCS - EMV chip reader - EV Gateway
Tellus	120 kW	Tellus 120 kW - 160amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	180 kW (200 A output)	Tellus 180 kW (200 A output) - 240amp - Dual-CCS - EMV chip reader - EV Gateway
Tellus	180 kW (200 A output)	Tellus 180 kW (200 A output) - 240amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	180 kW (200 A output)	Tellus 180 kW (200 A output) - 240amp - Dual-CCS - Without EMV chip reader - EV Gateway
Tellus	180 kW (200 A output)	Tellus 180 kW (200 A output) - 240amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	180 kW (500 A output)	Tellus 180 kW (500 A output) - 240amp - Single-CCS - EMV chip reader - EV Gateway
Tellus	180 kW (500 A output)	Tellus 180 kW (500 A output) - 240amp - Dual-CCS - EMV chip reader - EV Gateway
Tellus	180 kW (500 A output)	Tellus 180 kW (500 A output) - 240amp - Dual-adapter - EMV chip reader - EV Gateway

Brand	Model	Description
Tellus	180 kW (500 A output)	Tellus 180 kW (500 A output) - 240amp - Single-CCS - Without EMV chip reader - EV Gateway
Tellus	180 kW (500 A output)	Tellus 180 kW (500 A output) - 240amp - Dual-CCS - Without EMV chip reader - EV Gateway
Tellus	180 kW (500 A output)	Tellus 180 kW (500 A output) - 240amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	240 kW	Tellus 240 kW - 320amp - Single-CCS - Without EMV chip reader - EV Gateway
Tellus	240 kW	Tellus 240 kW - 320amp - Dual-CCS - Without EMV chip reader - EV Gateway
Tellus	240 kW	Tellus 240 kW - 320amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	240 kW	Tellus 240 kW - 320amp - Single-CCS - EMV chip reader - EV Gateway
Tellus	240 kW	Tellus 240 kW - 320amp - Dual-CCS - EMV chip reader - EV Gateway
Tellus	240 kW	Tellus 240 kW - 320amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	300 kW	Tellus 300 kW - 400amp - Dual-CCS - Without EMV chip reader - EV Gateway
Tellus	300 kW	Tellus 300 kW - 400amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	300 kW	Tellus 300 kW - 400amp - Dual-CCS - EMV chip reader - EV Gateway
Tellus	300 kW	Tellus 300 kW - 400amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	360 kW	Tellus 360 kW - 480amp - Dual-CCS - Without EMV chip reader - EV Gateway



Mass Transit Chargers

Brand	Model	Description
Tellus	360 kW	Tellus 360 kW - 480amp - Dual-adapter - Without EMV chip reader - EV Gateway
Tellus	360 kW	Tellus 360 kW - 480amp - Dual-CCS - EMV chip reader - EV Gateway
Tellus	360 kW	Tellus 360 kW - 480amp - Dual-adapter - EMV chip reader - EV Gateway
Tellus	Level 2	Tellus Level 2 - 30amp - 7.2kW - Single port - EV Gateway
Tellus	Level 2	Tellus Level 2 - 30amp - 7.2kW - Dual port - EV Gateway
Zerova	AW32	Zerova AW32 - 32amp - Single port - Without EMV chip reader - EV Connect
Zerova	AX48	Zerova AX48 - 48amp - Single port - Without EMV chip reader - EV Connect



Find an Authorized Contractor

Program authorized contractors are licensed electricians, trained on the details of the Transportation Electrification Program.

Their knowledge of the program makes installing your charger easy by completing the application, providing you with a rebate, and taking the guesswork out of installing an EV charger.

ev.pnm.com/easy-install

To learn more call **505-355-6286** or **(888) 505-1873**, email TEP@pnm.com or visit ev.pnm.com

At PNM, we don't just keep the power on, we help you power on.

